

# ACNE TREATMENT

## 1. WHICH PRODUCTS DO I USE?

	PBSerum Equilibrium	PBSerum Multivit
ACTIVES	VIT A, VIT C, VIT E, KERATINASE	KERATINASE, LIPASE AND VIT B COMPLEX
PURPOSE	DRYING AND ELIMINATING ACNE BREAKOUTS	DEGRADATION OF GREASE AND ANTI-INFLAMMATORY PROCESSES
VIAL PREPARATION	reconstitute the lyophilized vial with 3ml of the solution included in the box.	reconstitute the lyophilized vial with 3ml of saline solution



PBSerum Equilibrium



PBSerum Multivit

## 2. HOW MANY SESSIONS DO I NEED?

According to the specialist's criteria and the patient's evolution, it is recommended a minimum of 8 sessions to be performed twice a week in order to optimize the results.

SESSION	PBSerum product
1 <sup>st</sup>	PBSerum Multivit
2 <sup>nd</sup>	PBSerum Equilibrium
3 <sup>rd</sup>	PBSerum Multivit
4 <sup>th</sup>	PBSerum Equilibrium
5 <sup>th</sup>	PBSerum Multivit
6 <sup>th</sup>	PBSerum Equilibrium
7 <sup>th</sup>	PBSerum Multivit
8 <sup>th</sup>	PBSerum Equilibrium



## 3. HOW DO I APPLY IT?

Reconstitute the vial according to the instructions mentioned in this protocol.		
Remove make-up from face, neck and décolletage.		
Tone the skin with a common professional product.		
MANUAL APPLICATION	ELECTROPORATION (VIRTUAL MESOTHERAPY) APPLICATION	ULTRASOUNDS APPLICATION
Penetrate the product with a soft massage avoiding an excessive manipulation of the affected area.	Apply PBSerum product in small doses by using the handler of the machine.	Penetrate the product with a massage until complete absorption. Continue with regular ultrasound application by using the recommended conductive gel.
Apply a commonly used product with Sun Protection Factor.		

## 4. AT-HOME APPLICATION. It is recommended the application of homecare products to complete professional application. For that purpose, professionals are recommended to offer:

- **PBSerum Equilibrium Complex:** apply one vial per week.
- **PBSerum Daily Acne:** apply one vial per day in the morning.



# ANTI-BLOTCHES, DEPIGMENTATION AND TONE-UNIFIER TREATMENT

## 1. WHICH PRODUCTS DO I USE?

	PBSerum Radiant	PBSerum Equilibrium
ACTIVES	VIT C, KERATINASE	VIT A, VIT C, VIT E, KERATINASE
PURPOSE	SKIN UNIFICATION AND BOTCHES REDUCTION	RENEWAL AND ANTIOXIDANT
VIAL PREPARATION	Reconstitute the lyophilized vial with 3ml of saline solution	Reconstitute the lyophilized vial with 3ml of the solution included within the box.



PBSerum Radiant



PBSerum Equilibrium

## 2. HOW MANY SESSIONS DO I NEED?

According to the specialist's criteria and the patient's evolution, it is recommended a minimum of 8 sessions to be performed twice a week in order to optimize the results.

SESSION	PBSerum product
1 <sup>st</sup>	PBSerum Equilibrium
2 <sup>nd</sup>	PBSerum Radiant
3 <sup>rd</sup>	PBSerum Radiant
4 <sup>th</sup>	PBSerum Radiant
5 <sup>th</sup>	PBSerum Equilibrium
6 <sup>th</sup>	PBSerum Radiant
7 <sup>th</sup>	PBSerum Radiant
8 <sup>th</sup>	PBSerum Radiant



## 3. HOW DO I APPLY IT?

Reconstitute the vial according to the instructions mentioned in this protocol.		
Remove make-up from face, neck and décolletage.		
Tone the skin with a common professional product.		
FACIAL RADIOFREQUENCY APPLICATION	LASER APPLICATION	MANUAL APPLICATION
Perform regular radiofrequency session using the conductive gel.	Perform IPL or laser session.	Penetrate the product with a massage until complete absorption
Remove conductive gel	Remove conductive gel.	
Penetrate the product with a massage until complete absorption	Apply PBSerum product by performing a gentle massage until complete absorption.	
Apply a common professional used product with Sun Protection Factor.		

## 4. AT-HOME APPLICATION. It is recommended the application of homecare products to complete professional application. For that purpose, professionals are recommended to offer:

- **PBSerum Radiant Complex:** apply one vial per week.
- **PBSerum Daily Radiant:** apply one vial per day in the morning.



# FINE WRINKLES TREATMENT (EXPRESSION LINES NATURE)

## 1. WHICH PRODUCTS DO I USE?

	PBSerum Radiant	PBSerum Hyaluronic
ACTIVES	VIT C, KERATINASE	KERATINASE LOW MOLECULAR WEIGHT HYALURONIC ACID
PURPOSE	TONE UNIFICATION AND ILLUMINATING	DEEP MOISTURIZING AND ANTI-WRINKLE
VIAL PREPARATION	Reconstitute the lyophilized vial with 3ml of saline solution.	Reconstitute the lyophilized vial with 3ml of saline solution.



PBSerum Radiant



PBSerum Hyaluronic

## 2. HOW MANY SESSIONS DO I NEED?

According to the specialist's criteria and the patient's evolution, it is recommended a minimum of 4-6 sessions to be performed twice a week in order to optimize the results.

SESSION	PBSerum product
1 <sup>st</sup>	PBSerum Hyaluronic
2 <sup>nd</sup>	PBSerum Hyaluronic
3 <sup>rd</sup>	PBSerum Radiant
4 <sup>th</sup>	PBSerum Hyaluronic
5 <sup>th</sup>	PBSerum Hyaluronic
6 <sup>th</sup>	PBSerum Radiant



## 3. HOW DO I APPLY IT?

Reconstitute the vial according to the instructions mentioned in this protocol.		
Remove make-up from face, neck and décolletage.		
Tone the skin with a common professional product.		
FACIAL RADIOFREQUENCY APPLICATION	DERMAROLLER APPLICATION	MANUAL APPLICATION
Perform regular radiofrequency session, using the conductive gel.	Apply the product in small doses and in small areas.	Penetrate the product with a massage until complete absorption
Remove conductive gel	Help the product penetrate by gently passing the roller.	
Penetrate the product with a massage until complete absorption	Repeat this step until complete face, neck and décolletage application.	
Apply a common professional product with Sun Protection Factor. (It is also recommended the application of a soothing mask after dermaroller use).		

## 4. AT-HOME APPLICATION. It is recommended the application of homecare products to complete professional application. For that purpose, professionals are recommended to offer:

- PBSerum Hyaluronic Complex: apply one vial per week.
- PBSerum Daily Anti-wrinkle: apply one vial per day in the morning.



# FLASH EFFECT FACIAL TREATMENT

## 1. WHICH PRODUCTS DO I USE?

	PBSerum Extreme Firmness +	PBSerum Radiant	PBSerum Hyaluronic
ACTIVES	VIT C, DMAE AND COLLAGENASE	VIT C, KERATINASE	KERATINASE AND HYALURONIC ACID
PURPOSE	FIRMING AND REJUVENATING.	ILLUMINATING AND FIRMING	DEEP MOISTURIZING AND ANTI-WRINKLES
VIAL PREPARATION	Reconstitute the lyophilized vial with 3ml of the solution included within the box.	Reconstitute the lyophilized vial with 3ml of saline solution.	Reconstitute the lyophilized vial with 3ml of saline solution.



PBSerum Extreme Firmness+



PBSerum Radiant



PBSerum Hyaluronic

## 2. HOW MANY SESSIONS DO I NEED?

According to the specialist's criteria and the patient's evolution. It is recommended 2 sessions within a week, being the last one the day before the event.

SESSION	PBSerum product
1 <sup>st</sup>	PBSerum Extreme Firmness+ or PBSerum Hyaluronic
2 <sup>nd</sup>	PBSerum Radiant



## 3. HOW DO I APPLY IT?

Reconstitute the vial according to the instructions mentioned in this protocol.		
Remove make-up from face, neck and décolletage.		
Tone the skin with a common professional product.		
FACIAL RADIOFREQUENCY APPLICATION	DERMAROLLER APPLICATION	MANUAL APPLICATION
Perform regular radiofrequency session, using the conductive gel.	Apply the product in small doses and in small areas.	Penetrate the product with a massage until complete absorption
Remove conductive gel	Help the product penetration by gently passing the roller.	
Penetrate the product with a massage until complete absorption	Repeat this step until complete face, neck and décolletage application.	
Apply a common professional product with Sun Protection Factor. (It is also recommended the application of a soothing mask after dermaroller use).		



# DAMAGED SKIN, PHOTOAGED SKIN AND POST-ACNEIC SCARS TREATMENT

## 1. WHICH PRODUCTS DO I USE?

	PBSerum Hyaluronic	PBSerum Equilibrium
ACTIVES	KERATINASE, LOW MOLECULAR WEIGHT HYALURONIC ACID	VIT A, VIT C, VIT E, KERATINASE
PURPOSE	DEEP MOISTURIZING	RENEWAL AND ANTIOXIDANT
VIAL PREPARATION	Reconstitute the lyophilized vial with 3ml of saline solution.	Reconstitute the lyophilized vial with 3ml of the solution included within the box.



PBSerum Hyaluronic



PBSerum Equilibrium

## 2. HOW MANY SESSIONS DO I NEED?

According to the specialist's criteria and the patient's evolution, it is recommended a minimum of 4 sessions to be performed twice a week in order to optimize the results.

SESSION	PBSerum product
1 <sup>st</sup>	PBSerum Equilibrium
2 <sup>nd</sup>	PBSerum Equilibrium
3 <sup>rd</sup>	PBSerum Equilibrium
4 <sup>th</sup>	PBSerum Hyaluronic



## 3. HOW DO I APPLY IT?

Reconstitute the vial according to the instructions mentioned in this protocol.		
Remove make-up from face, neck and décolletage.		
Tone the skin with a common professional product.		
FACIAL RADIOFREQUENCY APPLICATION	LASER APPLICATION	MANUAL APPLICATION
Perform regular radiofrequency session, using the conductive gel.	Perform IPL or laser session.	Penetrate the product with a massage until complete absorption
Remove conductive gel	Remove conductive gel.	
Penetrate the product with a massage until complete absorption	Penetrate the product with a massage until complete absorption	
Apply a common professional product with Sun Protection Factor.		

## 4. AT-HOME APPLICATION.

It is recommended the application of homecare products to complete professional application. For that purpose, professionals are recommended to offer:

- PBSerum Hyaluronic Complex: apply one vial per week.
- PBSerum Daily Anti-wrinkle: apply one vial per day in the morning.



# FACIAL FIRMING TREATMENT

## 1. WHICH PRODUCTS DO I USE?

	PBSerum Extreme Firmness	PBSerum Hyaluronic
ACTIVES	DMAE, VIT C, COLLAGENASE, KERATINASE	KERATINASE, LOW MOLECULAR WEIGHT HYALURONIC ACID
PURPOSE	FIRMING	DEEP MOISTURIZING
VIAL PREPARATION	Reconstitute the lyophilized vial with 3ml of the solution included within the box.	Reconstitute the lyophilized vial with 3ml of saline solution.



PBSerum Extreme Firmness



PBSerum Hyaluronic

## 2. HOW MANY SESSIONS DO I NEED?

According to the specialist's criteria and the patient's evolution, it is recommended a minimum of 4-6 sessions to be performed twice a week in order to optimize the results.

SESIÓN	Producto PBSerum a aplicar
1 <sup>st</sup>	PBSerum Extreme Firmness
2 <sup>nd</sup>	PBSerum Extreme Firmness
3 <sup>rd</sup>	PBSerum Hyaluronic
4 <sup>th</sup>	PBSerum Extreme Firmness
5 <sup>th</sup>	PBSerum Extreme Firmness
6 <sup>th</sup>	PBSerum Hyaluronic



## 3. HOW DO I APPLY IT?

Reconstitute the vial according to the instructions mentioned in this protocol.		
Remove make-up from face, neck and décolletage.		
Tone the skin with a common professional product.		
FACIAL RADIOFREQUENCY APPLICATION	DERMAROLLER APPLICATION	MANUAL APPLICATION
Perform regular radiofrequency session, using the conductive gel.	Apply the product in small doses and in small areas.	Penetrate the product with a massage until complete absorption
Remove conductive gel	Help the product penetration by gently passing the roller.	
Penetrate the product with a massage until complete absorption	Repeat this step until complete face, neck and décolletage application.	
Apply a common professional product with Sun Protection Factor. (It is also recommended the application of a soothing mask after demaroller use).		

## 4. AT-HOME APPLICATION. It is recommended the application of homecare products to complete professional application. For that purpose, professionals are recommended to offer:

- **PBSerum Extreme Firmness Complex:** apply one vial per week.
- **PBSerum Daily Firmness:** apply one vial per day in the morning.



# OILY SKIN AND OPEN PORES TREATMENT

1. WHICH PRODUCTS DO I USE?

	PBSerum Multivit
ACTIVES	KERATINASE, LIPASE and VIT B COMPLEX
PURPOSE	Degradation of grease and anti-inflammatory processes
VIAL PREPARATION	Reconstitute the lyophilized vial with 3ml of saline solution



2. HOW MANY SESSIONS DO I NEED?

According to the specialist's criteria and the patient's evolution, it is recommended a minimum of 4-6 sessions to be performed twice a week in order to optimize the results.

3. HOW DO I APPLY IT?

Reconstitute the vial according to the instructions mentioned in this protocol		
Remove make-up from face, neck and décolletage		
Tone the skin with a common professional product		
MANUAL APPLICATION	ELECTROPORATION VIRTUAL MESOTHERAPY APPLICATION	ULTRASOUNDS APPLICATION
Penetrate PBSerum product with a massage until complete absorption.	Apply PBSerum product in small doses by using the handler of the machine.	Penetrate the product with a massage until complete absorption
		Continue with regular ultrasound application by using the recommended conductive gel.
Apply a common professional product with Sun Protection Factor.		

4. AT-HOME APPLICATION. It is recommended the application of homecare products to complete professional application. For that purpose, professionals are recommended to offer:

- PBSerum Multivit Complex: apply one vial per week.



# INTENSIVE FACIAL REJUVENATING TREATMENT

## 1. WHICH PRODUCTS DO I USE?

	PBSerum Extreme Firmness	PBSerum Radiant	PBSerum Hyaluronic
ACTIVES	VIT C, DMAE AND COLLAGENASE	VIT C, KERATINASE	KERATINASE AND HYALURONIC ACID
PURPOSE	FIRMING AND REJUVENATING.	tone UNIFICATION AND ILLUMINATING	DEEP MOISTURIZING AND ANTI-WRINKLES
VIAL PREPARATION	Reconstitute the lyophilized vial with 3ml of the solution included within the box.	Reconstitute the lyophilized vial with 3ml of saline solution.	Reconstitute the lyophilized vial with 3ml of saline solution.



## 2. HOW MANY SESSIONS DO I NEED?

According to the specialist's criteria and the patient's evolution, it is recommended a minimum of 6-8 sessions to be performed twice a week in order to optimize the results.

SESIÓN	Producto PBSerum a aplicar
1 <sup>st</sup>	PBSerum Hyaluronic
2 <sup>nd</sup>	PBSerum Extreme Firmness
3 <sup>rd</sup>	PBSerum Extreme Firmness
4 <sup>th</sup>	PBSerum Hyaluronic
5 <sup>th</sup>	PBSerum Extreme Firmness
6 <sup>th</sup>	PBSerum Extreme Firmness
7 <sup>th</sup>	PBSerum Radiant
8 <sup>th</sup>	PBSerum Extreme Firmness



## 3. HOW DO I APPLY IT?

Reconstitute the vial according to the instructions mentioned in this protocol.		
Remove make-up from face, neck and décolletage.		
Tone the skin with a common professional product.		
FACIAL RADIOFREQUENCY APPLICATION	DERMAROLLER APPLICATION	MANUAL APPLICATION
Perform regular radiofrequency session, using the conductive gel.	Apply the product in small doses and in small areas.	Penetrate PBSerum product by performing a firming massage until complete absorption.
Remove conductive gel	Help the product penetration by gently passing the roller.	
Apply PBSerum product by performing a firming massage until complete absorption.	Repeat this step until complete face, neck and décolletage application.	
Apply a common professional product with Sun Protection Factor. (It is also recommended the application of a soothing mask after dermaroller use).		

## 4. AT-HOME APPLICATION. It is recommended the application of homecare products to complete professional application. For that purpose, professionals are recommended to offer:

- **PBSerum Daily Firmness:** apply one vial per day in the morning.
- **PBSerum Daily Anti-wrinkle:** apply one vial per day in the morning.

